

Secondhand Smoke Exposure At Home (School-age)

Secondhand Smoke Exposure At Home (School-age)

- Most recent data (2012): 23% of King County youth attending public schools in the 8th, 10th and 12th grades.
- Trend over time: 2004-12: falling
- Description: Anyone who lives with you now smokes cigarettes

Secondhand smoke exposure at home (school-age), King County, 2008-2012 average

	Percent	Lower CI	Upper CI
King County (school-age youth in 8th, 10th and 12th grades)	24	23	25
GRADE			
Grade 8	23	22	25
Grade 10	25	24	26
Grade 12	24	23	26
GENDER			
Male	24	23	25
Female	25	24	26
RACE/ETHNICITY			
AIAN	35	31	39
Asian	26	24	27
Black	30	28	33
Hispanic	25	23	26
Multiple	28	27	30
NHPI	41	38	45
White	21	20	22
Other	26	24	27
REGION			
East	18	17	19
North	21	20	22
Seattle	27	24	29
South	29	28	31

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Secondhand smoke exposure at home (school-age) King County, 2008-2012 average



Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Secondhand smoke exposure at home (school-age) by comparison areas

The Healthy People 2020 Objective for secondhand smoke exposure at home (school-age) is 41%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2012	34	29	38
WA State	2012	27	26	29
King County	2012	23	21	24


Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

CI is 95% Confidence Interval.

Secondhand smoke exposure at home (school-age) by comparison areas




Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


|-----| Confidence interval shows range that includes true value 95% of the time.

**Secondhand smoke exposure at home (school-age) by regions
King County, 2008-2012 average**



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
N/A: Not available.

Secondhand smoke exposure at home (school-age) King County, 2004-2012



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
01/15

King County
Hospitals
for a **Healthier**
Community